

Spool File For Oracle Students Trained by Mr.Sathish Yellanki

SQL> cl scr

SQL> SELECT Ename, Deptno, Sal
2 FROM Emp
3 ORDER BY Deptno;

ENAME	DEPTNO	SAL
KING	10	5000
CLARK	10	2450
MILLER	10	1300
ADAMS	20	1100
SCOTT	20	3000
SMITH	20	800
FORD	20	3000
JONES	20	2975
WARD	30	1250
JAMES	30	950
ALLEN	30	1600
MARTIN	30	1250
BLAKE	30	2850
TURNER	30	1500

14 rows selected.

SQL> SELECT * FROM MyBonus;

EMPNO	BONUS
7654	225
7499	200
7844	150
7521	225
7698	285
7900	95

6 rows selected.

SQL> INSERT INTO Emp
2 (Empno, Ename, Deptno, Job, Sal, Comm, MGR, HireDate)
3 VALUES
4 (7935, 'SAMPATH', 30, 'SALESMAN', 3750, 1400, 7698, SYSDATE);

1 row created.

SQL> INSERT INTO Emp
2 (Empno, Ename, Deptno, Job, Sal, Comm, MGR, HireDate)

SkyEss Techno Solutions Pvt. Ltd.

Flat No. 201, II Floor, Abhilash Towers, BK Guda, Hyderabad – 500 038

Ph No. +9140 23710047, 64640047, Mobile: 9985798869

Contact For Courses And Training in

Oracle Developer Suite 10g(D2K), Oracle Apps R12, Live Projects in SQL and PL/SQL, Data Modeling, Linux/Unix

Follow Me: <https://www.facebook.com/satishkumar.yellanki>

Spool File For Oracle Students Trained by Mr.Sathish Yellanki

```
3 VALUES
4 (7936, 'SURESH', 30, 'SALESMAN', 4250, 400, 7698, SYSDATE);
```

1 row created.

```
SQL> INSERT INTO Emp
2 (Empno, Ename, Deptno, Job, Sal, Comm, MGR, HireDate)
3 VALUES
4 (7937, 'SUKESH', 30, 'SALESMAN', 3850, 600, 7698, SYSDATE);
```

1 row created.

```
SQL> INSERT INTO Emp
2 (Empno, Ename, Deptno, Job, Sal, Comm, MGR, HireDate)
3 VALUES
4 (7938, 'MUKESH', 30, 'SALESMAN', 4450, 350, 7698, SYSDATE);
```

1 row created.

```
SQL> UPDATE Emp
2 SET Sal = Sal + 3000
3 WHERE Ename = 'ALLEN';
```

1 row updated.

```
SQL> UPDATE Emp
2 SET Sal = Sal + 2000
3 WHERE Ename = 'BLAKE';
```

1 row updated.

```
SQL> SELECT Empno, Ename, Deptno, Sal
2 FROM Emp
3 WHERE Deptno = 30;
```

EMPNO	ENAME	DEPTNO	SAL
7698	BLAKE	30	4850
7654	MARTIN	30	1250
7499	ALLEN	30	4600
7844	TURNER	30	1500
7900	JAMES	30	950
7521	WARD	30	1250
7935	SAMPATH	30	3750
7936	SURESH	30	4250
7937	SUKESH	30	3850
7938	MUKESH	30	4450

SkyEss Techno Solutions Pvt. Ltd.

Flat No. 201, II Floor, Abhilash Towers, BK Guda, Hyderabad – 500 038

Ph No. +9140 23710047, 64640047, Mobile: 9985798869

Contact For Courses And Training in

Oracle Developer Suite 10g(D2K), Oracle Apps R12, Live Projects in SQL and PL/SQL, Data Modeling, Linux/Unix

Follow Me: <https://www.facebook.com/satishkumar.yellanki>

Spool File For Oracle Students Trained by Mr.Sathish Yellanki

10 rows selected.

```
SQL> SELECT * FROM MyBonus;
```

EMPNO	BONUS
7654	225
7499	260
7844	250
7521	225
7698	285
7900	95

6 rows selected.

```
SQL> MERGE INTO MyBonus B
  2 USING
  3 (
  4   SELECT Empno, Sal, Deptno
  5   FROM Emp
  6   WHERE Deptno = 30
  7   ) S
  8 ON
  9 (
 10   B.Empno = S.Empno
 11   )
 12 WHEN MATCHED THEN
 13   UPDATE
 14   SET B.Bonus = B.Bonus + S.Sal * 0.1
 15   DELETE
 16   WHERE (S.Sal > 4000)
 17 WHEN NOT MATCHED THEN
 18   INSERT(B.Empno, B.Bonus)
 19   VALUES(S.Empno, S.Sal * 0.1)
 20   WHERE (S.Sal <= 4000);
```

8 rows merged.

```
SQL> SELECT * FROM MyBonus;
```

EMPNO	BONUS
7654	350
7844	400
7521	350
7900	190

SkyEss Techno Solutions Pvt. Ltd.

Flat No. 201, II Floor, Abhilash Towers, BK Guda, Hyderabad – 500 038

Ph No. +9140 23710047, 64640047, Mobile: 9985798869

Contact For Courses And Training in

Oracle Developer Suite 10g(D2K), Oracle Apps R12, Live Projects in SQL and PL/SQL, Data Modeling, Linux/Unix

Follow Me: <https://www.facebook.com/satishkumar.yellanki>

Spool File For Oracle Students Trained by Mr.Sathish Yellanki

```
7935      375
7937      385
```

6 rows selected.

```
SQL> ROLLBACK;
```

Rollback complete.

```
SQL> cl scr
```

```
SQL> CREATE TABLE ExamTimeTable
2  (
3    ExamName VARCHAR2(30),
4    ExamTime  VARCHAR2(12),
5    CONSTRAINT ExamNamePK PRIMARY KEY(ExamName)
6  );
```

Table created.

```
SQL> INSERT INTO ExamTimeTable
2  VALUES ('PHYSICAL SCIENCES' , '9:00 AM');
```

1 row created.

```
SQL> SELECT * FROM ExamTimeTable;
```

EXAMNAME	EXAMTIME
PHYSICAL SCIENCES	9:00 AM

```
SQL> MERGE INTO ExamTimeTable E1
2  USING ExamTimeTable E2
3  ON
4  (
5    E2.ExamName = E1.ExamName AND
6    E1.ExamName = 'PHYSICAL SCIENCES'
7  )
8  WHEN MATCHED THEN
9    UPDATE
10   SET E1.ExamTime = '10:30 AM'
11  WHEN NOT MATCHED THEN
12    INSERT(E1.ExamName, E1.ExamTime)
13   VALUES('PHYSICAL SCIENCES' , '10:30 AM')
14  /
```

1 row merged.

SkyEss Techno Solutions Pvt. Ltd.

Flat No. 201, II Floor, Abhilash Towers, BK Guda, Hyderabad – 500 038

Ph No. +9140 23710047, 64640047, Mobile: 9985798869

Contact For Courses And Training in

Oracle Developer Suite 10g(D2K), Oracle Apps R12, Live Projects in SQL and PL/SQL, Data Modeling, Linux/Unix

Follow Me: <https://www.facebook.com/satishkumar.yellanki>

Spool File For Oracle Students Trained by Mr.Sathish Yellanki

```
SQL> SELECT * FROM ExamTimeTable;
```

EXAMNAME	EXAMTIME
PHYSICAL SCIENCES	10:30 AM

```
SQL> MERGE INTO ExamTimeTable E1
  2  USING ExamTimeTable E2
  3  ON
  4  (
  5    E2.ExamName = E1.ExamName AND
  6    E1.ExamName = 'CHEMICAL SCIENCES'
  7  )
  8  WHEN MATCHED THEN
  9    UPDATE SET E1.ExamTime = '12:30 PM'
 10  WHEN NOT MATCHED THEN
 11    INSERT(E1.ExamName, E1.ExamTime )
 12  VALUES('CHEMICAL SCIENCES' , '12:30 PM');
```

1 row merged.

```
SQL> SELECT * FROM ExamTimeTable;
```

EXAMNAME	EXAMTIME
PHYSICAL SCIENCES	10:30 AM
CHEMICAL SCIENCES	12:30 PM

```
SQL> cl scr
```

```
SQL> ROLLBACK;
```

Rollback complete.

```
SQL> cl scr
```

```
SQL> DELETE FROM Emp
  2  WHERE Ename = 'JAMES';
```

1 row deleted.

```
SQL> SELECT * FROM Emp
  2  WHERE Ename = 'JAMES';
```

no rows selected

SkyEss Techno Solutions Pvt. Ltd.

Flat No. 201, II Floor, Abhilash Towers, BK Guda, Hyderabad – 500 038

Ph No. +9140 23710047, 64640047, Mobile: 9985798869

Contact For Courses And Training in

Oracle Developer Suite 10g(D2K), Oracle Apps R12, Live Projects in SQL and PL/SQL, Data Modeling, Linux/Unix

Follow Me: <https://www.facebook.com/satishkumar.yellanki>

Spool File For Oracle Students Trained by Mr.Sathish Yellanki

SQL> ROLLBACK;

Rollback complete.

SQL> SELECT * FROM Emp
2 WHERE Ename = 'JAMES';

EMPNO	ENAME	JOB	MGR	HIREDATE	SAL
7900	JAMES	CLERK	7698	03-DEC-81	950

SQL> DELETE FROM Emp
2 WHERE Deptno = 30;

6 rows deleted.

SQL> SELECT * FROM Emp
2 WHERE Deptno = 30;

no rows selected

SQL> ROLLBACK;

Rollback complete.

SQL> SELECT * FROM Emp
2 WHERE Deptno = 30;

EMPNO	ENAME	JOB	MGR	HIREDATE	SAL
7698	BLAKE	MANAGER	7839	01-MAY-81	2850
7654	MARTIN	SALESMAN	7698	28-SEP-81	1250
7499	ALLEN	SALESMAN	7698	20-FEB-81	1600
7844	TURNER	SALESMAN	7698	08-SEP-81	1500
7900	JAMES	CLERK	7698	03-DEC-81	950
7521	WARD	SALESMAN	7698	22-FEB-81	1250

SkyEss Techno Solutions Pvt. Ltd.

Flat No. 201, II Floor, Abhilash Towers, BK Guda, Hyderabad – 500 038

Ph No. +9140 23710047, 64640047, Mobile: 9985798869

Contact For Courses And Training in

Oracle Developer Suite 10g(D2K), Oracle Apps R12, Live Projects in SQL and PL/SQL, Data Modeling, Linux/Unix

Follow Me: <https://www.facebook.com/satishkumar.yellanki>

Spool File For Oracle Students Trained by Mr.Sathish Yellanki

6 rows selected.

```
SQL> DELETE FROM Emp
      2 WHERE Deptno = 10;
DELETE FROM Emp
*
```

ERROR at line 1:

ORA-02292: integrity constraint (SCOTT.EMP_SELF_KEY) violated - child record found

```
SQL> cl scr
```

```
SQL> ROLLBACK;
```

Rollback complete.

```
SQL> cl scr
```

```
SQL> DELETE FROM Emp
      2 WHERE Deptno =
      3 (
      4   SELECT Deptno
      5   FROM Dept
      6   WHERE Dname = 'SALES'
      7 );
```

6 rows deleted.

```
SQL> ROLLBACK;
```

Rollback complete.

```
SQL> ED
Wrote file afrect.buf
```

```
1 SELECT * FROM Emp
2 WHERE Deptno =
3
4 SELECT Deptno
5 FROM Dept
6 WHERE Dname = 'SALES'
7*
SQL> /
```

SkyEss Techno Solutions Pvt. Ltd.

Flat No. 201, II Floor, Abhilash Towers, BK Guda, Hyderabad – 500 038

Ph No. +9140 23710047, 64640047, Mobile: 9985798869

Contact For Courses And Training in

Oracle Developer Suite 10g(D2K), Oracle Apps R12, Live Projects in SQL and PL/SQL, Data Modeling, Linux/Unix

Follow Me: <https://www.facebook.com/satishkumar.yellanki>

Spool File For Oracle Students Trained by Mr.Sathish Yellanki

```
-----
      EMPNO ENAME      JOB              MGR HIREDATE          SAL
COMM      DEPTNO
-----
30      7698 BLAKE      MANAGER              7839 01-MAY-81          2850
1400      7654 MARTIN      SALESMAN              7698 28-SEP-81          1250
      30
300      7499 ALLEN      SALESMAN              7698 20-FEB-81          1600
      30
0      7844 TURNER      SALESMAN              7698 08-SEP-81          1500
      30
30      7900 JAMES      CLERK                 7698 03-DEC-81           950
500      7521 WARD      SALESMAN              7698 22-FEB-81          1250
      30
```

6 rows selected.

SQL> SPOOL OFF

SQL> cl scr

SQL> SELECT * FROM Emp;

```
-----
      EMPNO ENAME      JOB              MGR HIREDATE          SAL
COMM      DEPTNO
-----
10      7839 KING      PRESIDENT              17-NOV-81          5000
30      7698 BLAKE      MANAGER              7839 01-MAY-81          2850
10      7782 CLARK      MANAGER              7839 09-JUN-81          2450
20      7566 JONES      MANAGER              7839 02-APR-81          2975
1400      7654 MARTIN      SALESMAN              7698 28-SEP-81          1250
      30
300      7499 ALLEN      SALESMAN              7698 20-FEB-81          1600
      30
0      7844 TURNER      SALESMAN              7698 08-SEP-81          1500
      30
30      7900 JAMES      CLERK                 7698 03-DEC-81           950
500      7521 WARD      SALESMAN              7698 22-FEB-81          1250
      30
```

SkyEss Techno Solutions Pvt. Ltd.

Flat No. 201, II Floor, Abhilash Towers, BK Guda, Hyderabad – 500 038

Ph No. +9140 23710047, 64640047, Mobile: 9985798869

Contact For Courses And Training in

Oracle Developer Suite 10g(D2K), Oracle Apps R12, Live Projects in SQL and PL/SQL, Data Modeling, Linux/Unix

Follow Me: <https://www.facebook.com/satishkumar.yellanki>

Spool File For Oracle Students Trained by Mr.Sathish Yellanki

```
.....
      7902 FORD          ANALYST          7566 03-DEC-81          3000
20
      7369 SMITH         CLERK           7902 17-DEC-80           800
20
      7788 SCOTT         ANALYST          7566 09-DEC-82          3000
20
      7876 ADAMS         CLERK           7788 12-JAN-83          1100
20
      7934 MILLER        CLERK           7782 23-JAN-82          1300
10
```

14 rows selected.

SQL> SELECT * FROM Dept;

DEPTNO	DNAME	LOC
10	ACCOUNTING	NEW YORK
20	RESEARCH	DALLAS
30	SALES	CHICAGO
40	OPERATIONS	BOSTON

SQL> INSERT INTO Dept
2 VALUES(50, 'SHIPPING', 'CHENNAI');

1 row created.

SQL> SELECT * FROM Dept;

DEPTNO	DNAME	LOC
10	ACCOUNTING	NEW YORK
20	RESEARCH	DALLAS
30	SALES	CHICAGO
40	OPERATIONS	BOSTON
50	SHIPPING	CHENNAI

SQL> COMMIT;

Commit complete.

SQL> SELECT * FROM Dept;

DEPTNO	DNAME	LOC
10	ACCOUNTING	NEW YORK
20	RESEARCH	DALLAS

SkyEss Techno Solutions Pvt. Ltd.

Flat No. 201, II Floor, Abhilash Towers, BK Guda, Hyderabad – 500 038

Ph No. +9140 23710047, 64640047, Mobile: 9985798869

Contact For Courses And Training in

Oracle Developer Suite 10g(D2K), Oracle Apps R12, Live Projects in SQL and PL/SQL, Data Modeling, Linux/Unix

Follow Me: <https://www.facebook.com/satishkumar.yellanki>

Spool File For Oracle Students Trained by Mr.Sathish Yellanki

30 SALES	CHICAGO
40 OPERATIONS	BOSTON
50 SHIPPING	CHENNAI

SQL> cl scr

SQL> ROLLBACK;

Rollback complete.

SQL> cl scr

SQL> SAVEPOINT DEPTINS;

Savepoint created.

SQL> INSERT INTO Dept
2 VALUES(60, 'CARGO', 'MUMBAI');

1 row created.

SQL> INSERT INTO Dept
2 VALUES(70, 'COURIER', 'DELHI');

1 row created.

SQL> SAVEPOINT EMPUPD;

Savepoint created.

SQL> UPDATE Emp
2 SET Sal = Sal + 1000
3 WHERE Ename = 'JAMES';

1 row updated.

SQL> UPDATE Emp
2 SET Sal = Sal + 1500
3 WHERE Ename = 'SMITH';

1 row updated.

SQL> UPDATE Emp
2 SET Sal = Sal + 1200
3 WHERE Ename = 'TURNER';

1 row updated.

SkyEss Techno Solutions Pvt. Ltd.

Flat No. 201, II Floor, Abhilash Towers, BK Guda, Hyderabad – 500 038

Ph No. +9140 23710047, 64640047, Mobile: 9985798869

Contact For Courses And Training in

Oracle Developer Suite 10g(D2K), Oracle Apps R12, Live Projects in SQL and PL/SQL, Data Modeling, Linux/Unix

Follow Me: <https://www.facebook.com/satishkumar.yellanki>

Spool File For Oracle Students Trained by Mr.Sathish Yellanki

SQL> SAVEPOINT DEPTDEL;

Savepoint created.

SQL> DELETE FROM Dept
2 WHERE Deptno = 50;

1 row deleted.

SQL> DELETE FROM Dept
2 WHERE Deptno = 40;

1 row deleted.

SQL> COMMIT TO SAVEPOINT DEPTDEL;
COMMIT TO SAVEPOINT DEPTDEL
*

ERROR at line 1:

ORA-02185: a token other than WORK follows COMMIT

SQL> ROLLBACK TO SAVEPOINT EMPUPD;

Rollback complete.

SQL> ROLLBACK;

Rollback complete.

SQL> cl scr

SQL> CREATE TABLE SampALT01
2 (
3 SampID NUMBER(2)
4);

Table created.

SQL> DESC SampALT01

Name	Null?
------	-------

Type	
------	--

SAMPID	
NUMBER(2)	

SkyEss Techno Solutions Pvt. Ltd.

Flat No. 201, II Floor, Abhilash Towers, BK Guda, Hyderabad – 500 038

Ph No. +9140 23710047, 64640047, Mobile: 9985798869

Contact For Courses And Training in

Oracle Developer Suite 10g(D2K), Oracle Apps R12, Live Projects in SQL and PL/SQL, Data Modeling, Linux/Unix

Follow Me: <https://www.facebook.com/satishkumar.yellanki>

Spool File For Oracle Students Trained by Mr.Sathish Yellanki

```
SQL> ALTER TABLE SampALT01
  2  ADD
  3  (
  4    SampName VARCHAR2(10)
  5    DEFAULT 'NOT GIVEN',
  6    SampDate DATE
  7    DEFAULT SYSDATE
  8    CONSTRAINT SampALT01_SampDate_NN NOT NULL,
  9    CONSTRAINT SampALT01_SampID_PK
 10    PRIMARY KEY(SampID)
 11 );
```

Table altered.

```
SQL> DESC SampALT01
```

Name	Null?
Type	

SAMPID	NOT
NULL NUMBER(2)	
SAMPNAME	
VARCHAR2(10)	
SAMPDATE	NOT
NULL DATE	

```
SQL> ALTER TABLE SampALT01
  2  MODIFY
  3  (
  4    SampID NUMBER(4)
  5    SampName VARCHAR2(15)
  6  );
```

Table altered.

```
SQL> DESC SampALT01
```

Name	Null?
Type	

SAMPID	NOT
NULL NUMBER(4)	
SAMPNAME	
VARCHAR2(15)	
SAMPDATE	NOT
NULL DATE	

SkyEss Techno Solutions Pvt. Ltd.

Flat No. 201, II Floor, Abhilash Towers, BK Guda, Hyderabad – 500 038

Ph No. +9140 23710047, 64640047, Mobile: 9985798869

Contact For Courses And Training in

Oracle Developer Suite 10g(D2K), Oracle Apps R12, Live Projects in SQL and PL/SQL, Data Modeling, Linux/Unix

Follow Me: <https://www.facebook.com/satishkumar.yellanki>

Spool File For Oracle Students Trained by Mr.Sathish Yellanki

SQL> cl scr

SQL> DESC SampALT01

Name	Null?
Type	

SAMPID	NOT
NULL NUMBER(4)	
SAMPNAME	
VARCHAR2(15)	
SAMPDATE	NOT
NULL DATE	

SQL> ALTER TABLE SampALT01

2 DROP COLUMN SampName, SampDate;
DROP COLUMN SampName, SampDate
*

ERROR at line 2:

ORA-00933: SQL command not properly ended

SQL> ALTER TABLE SampALT01

2 DROP COLUMN SampName;

Table altered.

SQL> cl scr

SQL> CREATE TABLE SampALT02

2 (
3 SampID NUMBER(2),
4 SampName VARCHAR2(10),
5 SampDate DATE,
6 SampDesc VARCHAR2(100)
7);

Table created.

SQL> ALTER TABLE SampALT02

2 SET UNUSED(SampDate, SampDESC);

Table altered.

SQL> DESC SampALT02

Name	Null?
Type	

SkyEss Techno Solutions Pvt. Ltd.

Flat No. 201, II Floor, Abhilash Towers, BK Guda, Hyderabad – 500 038

Ph No. +9140 23710047, 64640047, Mobile: 9985798869

Contact For Courses And Training in

Oracle Developer Suite 10g(D2K), Oracle Apps R12, Live Projects in SQL and PL/SQL, Data Modeling, Linux/Unix

Follow Me: <https://www.facebook.com/satishkumar.yellanki>

Spool File For Oracle Students Trained by Mr.Sathish Yellanki

```
SAMPID  
NUMBER(2)  
SAMPNAME  
VARCHAR2(10)
```

```
SQL> ALTER TABLE SampALT02  
2 DROP UNUSED COLUMNS;
```

Table altered.

```
SQL> cl scr
```

```
SQL> SELECT * FROM TAB;
```

TNAME	TABTYPE	CLUSTERID
EMPLOYEE	SYNONYM	
MYEMP	TABLE	
SAMPDEF	TABLE	
MYBONUS	TABLE	
EXAMTIMETABLE	TABLE	
SAMPALT01	TABLE	
SAMPALT02	TABLE	
DEPT	TABLE	
EMP	TABLE	
BONUS	TABLE	
SALGRADE	TABLE	
DUMMY	TABLE	
CUSTOMER	TABLE	
ORD	TABLE	
ITEM	TABLE	
PRODUCT	TABLE	
PRICE	TABLE	

TNAME	TABTYPE	CLUSTERID
STUDENTS	TABLE	
SALES	VIEW	

19 rows selected.

```
SQL> DROP TABLE SAMPALT01;
```

Table dropped.

SkyEss Techno Solutions Pvt. Ltd.

Flat No. 201, II Floor, Abhilash Towers, BK Guda, Hyderabad – 500 038

Ph No. +9140 23710047, 64640047, Mobile: 9985798869

Contact For Courses And Training in

Oracle Developer Suite 10g(D2K), Oracle Apps R12, Live Projects in SQL and PL/SQL, Data Modeling, Linux/Unix

Follow Me: <https://www.facebook.com/satishkumar.yellanki>

Spool File For Oracle Students Trained by Mr.Sathish Yellanki

SQL> SELECT * FROM TAB;

TNAME	TABTYPE	CLUSTERID
EMPLOYEE	SYNONYM	
MYEMP	TABLE	
SAMPDEF	TABLE	
MYBONUS	TABLE	
EXAMTIMETABLE	TABLE	
SAMPALT02	TABLE	
BIN\$vsSJ6ILAARZyE67hmGKvXvQ==\$0	TABLE	
DEPT	TABLE	
EMP	TABLE	
BONUS	TABLE	
SALGRADE	TABLE	
DUMMY	TABLE	
CUSTOMER	TABLE	
ORD	TABLE	
ITEM	TABLE	
PRODUCT	TABLE	
PRICE	TABLE	

TNAME	TABTYPE	CLUSTERID
STUDENTS	TABLE	
SALES	VIEW	

19 rows selected.

SQL> PURGE RECYCLEBIN;

Recyclebin purged.

SQL> SELECT * FROM TAB;

TNAME	TABTYPE	CLUSTERID
EMPLOYEE	SYNONYM	
MYEMP	TABLE	
SAMPDEF	TABLE	
MYBONUS	TABLE	
EXAMTIMETABLE	TABLE	
SAMPALT02	TABLE	
DEPT	TABLE	
EMP	TABLE	
BONUS	TABLE	
SALGRADE	TABLE	

SkyEss Techno Solutions Pvt. Ltd.

Flat No. 201, II Floor, Abhilash Towers, BK Guda, Hyderabad – 500 038

Ph No. +9140 23710047, 64640047, Mobile: 9985798869

Contact For Courses And Training in

Oracle Developer Suite 10g(D2K), Oracle Apps R12, Live Projects in SQL and PL/SQL, Data Modeling, Linux/Unix

Follow Me: <https://www.facebook.com/satishkumar.yellanki>

Spool File For Oracle Students Trained by Mr.Sathish Yellanki

DUMMY	TABLE
CUSTOMER	TABLE
ORD	TABLE
ITEM	TABLE
PRODUCT	TABLE
PRICE	TABLE
STUDENTS	TABLE

TNAME	TABTYPE	CLUSTERID
SALES	VIEW	

18 rows selected.

```
SQL> DROP TBALE SAMPALT02 PURGE;
DROP TBALE SAMPALT02 PURGE
*
```

```
ERROR at line 1:
ORA-00950: invalid DROP option
```

```
SQL> DROP TABLE SAMPALT02 PURGE;
```

Table dropped.

```
SQL> SELECT * FROM TAB;
```

TNAME	TABTYPE	CLUSTERID
EMPLOYEE	SYNONYM	
MYEMP	TABLE	
SAMPDEF	TABLE	
MYBONUS	TABLE	
EXAMTIMETABLE	TABLE	
DEPT	TABLE	
EMP	TABLE	
BONUS	TABLE	
SALGRADE	TABLE	
DUMMY	TABLE	
CUSTOMER	TABLE	
ORD	TABLE	
ITEM	TABLE	
PRODUCT	TABLE	
PRICE	TABLE	
STUDENTS	TABLE	
SALES	VIEW	

SkyEss Techno Solutions Pvt. Ltd.

Flat No. 201, II Floor, Abhilash Towers, BK Guda, Hyderabad – 500 038

Ph No. +9140 23710047, 64640047, Mobile: 9985798869

Contact For Courses And Training in

Oracle Developer Suite 10g(D2K), Oracle Apps R12, Live Projects in SQL and PL/SQL, Data Modeling, Linux/Unix

Follow Me: <https://www.facebook.com/satishkumar.yellanki>

Spool File For Oracle Students Trained by Mr.Sathish Yellanki

17 rows selected.

```
SQL> DROP TABLE Dept;
DROP TABLE Dept
*
```

ERROR at line 1:

ORA-02449: unique/primary keys in table referenced by foreign keys

```
SQL> DROP TABLE Dept CASCADE CONSTRAINTS;
```

Table dropped.

```
SQL> DESC Emp
```

Name	Null?
Type	

EMPNO	NOT
NULL NUMBER(4)	
ENAME	
VARCHAR2(10)	
JOB	
VARCHAR2(9)	
MGR	
NUMBER(4)	
HIREDATE	
DATE	
SAL	
NUMBER(7,2)	
COMM	
NUMBER(7,2)	
DEPTNO	NOT
NULL NUMBER(2)	

```
SQL> SPOOL OFF
```

SkyEss Techno Solutions Pvt. Ltd.

Flat No. 201, II Floor, Abhilash Towers, BK Guda, Hyderabad – 500 038

Ph No. +9140 23710047, 64640047, Mobile: 9985798869

Contact For Courses And Training in

Oracle Developer Suite 10g(D2K), Oracle Apps R12, Live Projects in SQL and PL/SQL, Data Modeling, Linux/Unix

Follow Me: <https://www.facebook.com/satishkumar.yellanki>